

Details of the empirical research base for individual psychotherapy

This engagement of pure psychology with the details of the quantitative justification for individual practice is based on the following. The following two tables provide the details of the 186 papers mentioned in the overview paper.

Axis I disorder	Emerging consensus about effective therapy to date.
Substance abuse	Behaviour - Higgins et al 1993, Drummond & Glautier 1994 CBT & relapse prevention - Carroll et al 1994 Social skills - McGrady et al 1986, Benton & Schroeder 1990, Mattick & Jarvis 1993
Schizophrenia	Social skills - Hogarty et al 1986, Eckman et al 1992, Marder et al 1996 Supportive - Hogarty et al 1974, Gunderson et al 1984
Paranoid schizophrenia	-
Major depression	CBT - Elkin et al 1989, Thase et al 1991, Depression Guideline Panel 1993, Jacobson et al 1996
Dysthymia	Behaviour - McLean & Hakistan 1979, Bellack et al 1981, 1983, Jacobson et al 1996 Cognitive - Nezu 1986, Dobson 1989, Nezu & Perri 1989, Hollon et al 1991, 1993, Mintz et al 1992, Stravynski & Greenberg 1992, Gaffan et al 1995 CBT - Robinson et al 1990, Makowitz 1996 Interpersonal - Elkin et al 1989, 1995
Bipolar	-
Cyclothymia	-
Agoraphobia	Exposure - Munby & Johnston 1980, Burns et al 1986, Jansson & Ost 1982, Jansson et al 1986, Ghosh et al 1988, Jacobson et al 1988, Trull et al 1988, Cox et al 1992, van Balkom 1997
Panic	Behaviour - Barlow et al 1989, Craske et al 1991, Clark et al 1994 Cognitive - Sokol et al 1989, Beck et al 1992 CBT - Clum 1989, Klosko et al 1990, Michelson & Marchione 1991, Salkovskis et al 1991 Panic therapy - Jacobson et al 1988, Barlow et al 1989, Craske et al 1991, Clum et al 1993, Margraf et al 1993, Telch et al 1993, Gould 1995, Milrod & Busch 1996, van Balkom 1997
Specific phobia	Behaviour - Bandura et al 1969, Crowe et al 1972, Ost 1978, Kirsch et al 1983, Marshall 1985, 1988, Ost et al 1991, Donohue et al 1994, Emmelkamp et al 1994, Heimberg & Juster 1995, Herbert 1995 CBT - Ledwidge 1978, Heimberg 1990, Heimberg et al 1994
Social phobia	Behaviour - Paul & Shannon 1966, Paul 1967a, Woy & Efran 1972, Ost et al 1981, Wlazlo et al 1990, Feske & Chambless 1995 Cognitive - Hope 1990, Chambless & Gillis 1993 CBT - Scholing & Emmelkamp 1993, Taylor 1996 Social skills - Bandura 1971, 1977, Mersh et al 1991
Obsessive compulsive	Exposure & relapse prevention - Solyom & Sookman 1977, Marks et al 1980, Christensen et al 1987, van Balkom et al 1994, Steketee & Shapiro 1995 CBT & relapse prevention - Abramowitz 1996, 1997, Cox et al, van Balkom et al 1994 Cognitive - Emmelkamp & Beens 1991, O'Sullivan et al 1991, van Oppen et al 1995
PTSD	Behaviour - Brom et al 1989, Cooper & Clum 1989, Keane et al 1989, Boudewyns & Hyer 1990, Foa et al 1989, 1991 CBT - Resick et al 1988, Cooper & Clum 1989, Keane et al 1989, Boudewyns & Hyer 1990, Resick & Schnike 1992 Stress inoculation & EMDR - Shalev et al 1996, Solomon et al 1992
Generalised anxiety	Behaviour - Butler et al 1991 CBT - Borkovec et al 1987, Durham & Turvey 1987, Power et al 1990, Butler et al 1991, Barlow et al 1992, Gould et al 1997 Relaxation skills - Barlow et al 1992, Borkovec et al 1987, Borkovec & Costello 1993
Dissociative identity	-
Sexual aversion	-
Anorexia	CBT & dietary management - Chanon et al 1989, Treasure et al 1995
Bulimia	CBT - Freeman et al 1988, Mitchell et al 1990, 1993, Fairburn et al 1993, Wilson & Fairburn 1993, Agras et al 1989, 1992, Thackwray et al 1993, Mitchell et al 1996, Lewandowski et al 1997 Interpersonal - Fairburn et al 1993, Wilfley et al 1993

Axis II “personality disorders”.

Paranoid	-
Schizoid	-
Schizotypal	-
Antisocial	-
Borderline	Dialectical - Linehan et al 1991, 1993 Psychodynamic - Howard et al 1986, Waldinger & Gunderson 1987, Hoke 1989
Histrionic	-
Narcissistic	-
Avoidant	Social skills - Stravinski et al 1982, 1994
Dependent	Brief dynamic - Hill 1970, Gabbard 1994, Winston et al 1994
Obsessive compulsive	-

References

- ABRAMOWITZ, J.S. (1996). Variants of exposure and response prevention in the treatment of obsessive compulsive disorder: A meta-analysis. *Behavior Therapy*, 27, 583-600.
- ABRAMOWITZ, J.S. (1997). Effectiveness of psychological and pharmacological treatments for obsessive compulsive disorder: A quantitative review. *Journal of Consulting and Clinical Psychology*, 65, 44-52.
- AGRAS, W.S., SCHNEIDER, J.A., ARNOW, B., RAEBURN, S.D. & TELCH, C.F. (1989). Cognitive-behavioral and response-prevention treatments for bulimia nervosa. *Journal of Consulting and Clinical Psychology*, 57, 215-221.
- AGRAS, W.S., ROSSITER, E.M., ARNOW, B., SCHNEIDER, J.A., TELCH, C.F., RAEBURN, S.D., BRUCE, B., PERL, M. & KORAN, L.M. (1992). Pharmacologic and cognitive-behavioral treatments for bulimia nervosa: A controlled comparison. *American Journal of Psychiatry*, 149, 82-87.
- ALDEN, L.E. (1989). Short-term structured treatment for avoidant personality disorder. *Journal of Consulting and Clinical Psychology*, 57, 756-764.
- BANDURA, A., BLANCHARD, A.B. & RITTER, B. (1969). Relative efficacy of desensitization and modeling approaches for inducing behavioral, affective and attitudinal change. *Journal of Personality and Social Psychology*, 13, 173-199.
- BARLOW, D.H. (1988). *Anxiety and its disorders: The nature and treatment of anxiety and panic*. New York: Guilford Press.

BARLOW, D.H., CRASKE, M.G., CERNY, J.A. & KLOSKO, J.S. (1989). Behavioral treatment of panic disorder. *Behavior Therapy*, 20, 261-282.

BARLOW, D.H., RAPEE, R.M. & BROWN, T.A. (1992). Behavioral treatment of generalized anxiety disorder. *Behavior Therapy*, 23, 551-570.

BECK, A.T. & FREEMAN, A. (1990). *Cognitive therapy of personality disorder*. New York: Guilford.

BECK, A.T., SOKOL, L., CLARK, D.A., BERCHICK, R. & WRIGHT, F. (1992). A crossover study of focused cognitive therapy for panic disorder. *American Journal of Psychiatry*, 149, 778-783.

BELLACK, A.S., HERSEN, M. & HIMMELHOCH, J. (1981). Social skills training compared with pharmacotherapy and psychotherapy in the treatment of unipolar depression. *American Journal of Psychiatry*, 138, 1562-1566.

BELLACK, A.S. & HERSEN, M. & HIMMELHOCH, J. (1983). A comparison of social skills training, pharmacotherapy and psychotherapy for depression. *Behaviour Research and Therapy*, 21, 101-107.

BENTON, M.K. & SCHROEDER, H.E. (1990). Social skills training with schizophrenics: A meta-analytic evaluation. *Journal of Consulting and Clinical Psychology*, 58, 741-747.

BORKOVEC, T.D. & COSTELLO, E. (1993). Efficacy of applied relaxation and cognitive-behavioral therapy in the treatment of generalized anxiety disorder. *Journal of Consulting and Clinical Psychology*, 61, 611-619.

BORKOVEC, T.D., MATHEWS, A.M., CHAMBERS, A., EBRAHIMI, S., LITTLE, R. & NELSON, R. (1987). The effects of relaxation training with cognitive therapy or nondirective therapy and the role of relaxation-induced anxiety in the treatment of generalised anxiety. *Journal of Consulting and Clinical Psychology*, 25, 883-888.

BOUDEWYNNS, P.A. & HYER, L. (1990). Physiological response to combat memories and preliminary treatment outcome in Vietnam veteran PTSD patients treated with direct therapeutic exposure. *Behavior Therapy*, 21, 63-87.

BROM, D., KLEBER, R.J. & DEFARES, P.B. (1989). Brief psychotherapy for posttraumatic stress disorder. *Journal of Consulting and Clinical Psychology*, 57, 607-612.

BURNS, L.E., THORPE, G.L. & CAVALLARO, L.A. (1986). Agoraphobia 8 years after behavioral treatment: A follow-up study with interview, self-report, and behavioral data. *Behavioral Therapy*, 17, 580-591.

BUTLER, G., FENNELL, M., ROBSON, P. & GELDER, M. (1991). Comparison of behavior therapy and cognitive behavior therapy in the treatment of generalized anxiety disorder. *Journal of Consulting and Clinical Psychology*, 59, 167-175.

CARROLL, K.M., ROUSAVILLE, B.J., GORDON, L.T., NICH, C., JATLOW, P., BISIGHINI, R.N. & GAWIN, F.H. (1994). Psychotherapy and pharmacology for ambulatory cocaine abusers. *Archives of General Psychiatry*, 51, 177-187.

CASHDAN, S. (1982). Interactional psychotherapy: Using the relationship. In A.J. Kiesler (Ed.) *Handbook of interpersonal psychotherapy*. (pp.). New York: Pergamon.

CHAMBLESS, D.L. & GILLIS, M.M. (1993). Cognitive therapy of anxiety disorders. *Journal of Consulting and Clinical Psychology*, 61, 248-260

CHAMBLESS, D.L., BAKER, M.J., BAUCOM, D.H., BEUTLER, L.E., CALHOUN, K.S., CRITS-CHRISTOPH, P., DAIUTO, A., DeRUBEIS, R., DETWELLER, J., HAAGA, D.A.F., JOHNOSON, S.B., McCURRY, S., MUESER, K.T., POPE, K.S., SANDERSON, W.C., SHOHAM, V., STICKLE, T., WILLIAMS, W.C. & WOODY, S.R. (1988). Update on empirically validated therapies II. *The Clinical Psychologist*, 51, 3-16.

CHANNON, S., deSILVA, P., HELMSLEY, D. & PERKINS, R. (1989). A controlled trial of cognitive-behavioural treatment and behavioural treatment of anorexia nervosa. *Behaviour Research and Therapy*, 27, 529-535.

CHRISTENSEN, H., HADZI, P., ANDREWS, G. & MATTICK, R. (1987). Behavior therapy and tricyclic medication in the treatment of obsessive-compulsive disorder: A quantitative review. *Journal of Consulting and Clinical Psychology*, 55, 701-711.

CLARK, D.M., SALKOVSKIS, P.M., HACKMANN, A., MIDDLETON, H., ANASTASIDES, P. & GELDER, M. (1994). A comparison of cognitive therapy, applied relaxation, and imipramine in the treatment of panic disorder. *British Journal of Psychiatry*, 164, 759-769.

CLUM, G.A. (1989). Psychological intervention vs drugs in the treatment of panic. *Behavioral Therapy*, 20, 429-457.

CLUM, G.A., CLUM, G.A. & SURLS, R. (1993). A meta-analysis of treatments for panic disorder. *Journal of Consulting and Clinical Psychology*, 61, 317-326.

COCHRAN, S.D. (1984). Preventing medical noncompliance in the outpatient treatment of bipolar affective disorders. *Journal of Consulting and Clinical Psychology*, 52, 873-878.

COHEN, L.H., SARGENT, M.M. & SECHREST, L.B. (1986). Use of psychotherapy research by professional psychologists. *American Psychologist*, 41, 198-206.

COOPER, N.A. & CLUM, G.A. (1989). Imaginal flooding as a supplementary treatment for PTSD in combat veterans: A controlled study. *Behavioral Therapy*, 20, 381-391.

COX, B.J., ENDLER, N.S. & LEE, P.S. (1992). A meta-analysis of treatments for panic disorder with agoraphobia: Imipramine, alprazolam and in vivo exposure. *Journal of Behavior Therapy and Experimental Psychiatry*, 23, 175-182.

COX, B.J., SWINSON, R.P., MORRISON, B. & LEE, P.S. (1993). Clomipramine, fluoxetine, and behavior therapy in the treatment of obsessive compulsive disorder: A meta-analysis. *Journal of Behavior Therapy and Experimental Psychiatry*, 24, 149-153.

CRAIGHEAD, L.W. & AGRAS, W.S. (1991). Mechanisms of action in cognitive-behavioral and pharmacological interventions for obesity and bulimia nervosa. *Journal of Consulting and Clinical Psychology*, 59, 115-125.

CRASKE, M.G., BROWN, T.A. & BARLOW, D.H. (1991). Behavioral treatment of panic disorder: A two-year follow-up. *Behavior Therapy*, 22, 289-304.

CROWE, M.J., MARKS, I.M., AGRAS, W.S. & LEITENBERG, H. (1972). Time-limited desensitization, implosion and shaping for phobic patients: A cross-over study. *Behaviour Research and Therapy*, 10, 319-328.

DAR, R., SERLIN, R.C. & OMER, H. (1994). Misuse of statistical tests in three decades of psychotherapy research. *Journal of Consulting and Clinical Psychology*, 62, 75-82.

DEPARTMENT of HEALTH (1999). *Clinical governance practice guidelines*. London: Department of Health.

DEPARTMENT of HEALTH (2001). *Treatment choice in the psychological therapies and counselling: Evidence based clinical practice guideline*. London: Department of Health.

DEPRESSION GUIDELINE PANEL (1993). *Clinical practice guideline, depression in primary care: Vol 2, treatment of major depression*. Rockville: Department of Health and Human Sources.

DiMASCIO, A., WEISSMAN, M.M., PRUSOFF, B.A., NEU, C., ZWILLING, M. & KLERMAN, G.L. (1979). Differential symptom reduction by drugs and psychotherapy in acute depression. *Archives of General Psychiatry*, 36, 1450-1456.

DOBSON, K.S. (1989). A meta-analysis of the efficacy of cognitive therapy for depression. *Journal of Consulting and Clinical Psychology*, 57, 414-419.

DONONHUE, B.C., VanHASSELT, V.B. & HERSEN, M. (1994). Behavioral assessment and treatment of social phobia. *Behavior Modification*, 18, 262-288.

DRUMMOND, D.C. & GLAUTIER, S. (1994). A controlled trial of Q exposure treatment in alcohol dependence. *Journal of Consulting and Clinical Psychology* 62, 809-817.

DURHAM, R.C., MURPHY, T., ALLAN, T., RICHARD, K., TRELIVING, L.R. & FENTON, G.W. (1994). Cognitive therapy, analytic psychotherapy and anxiety management training for generalized anxiety disorder. *British Journal of Psychiatry*, 165, 315-323.

DURHAM, R.C. & TURVEY, A.A. (1987). Cognitive therapy vs behaviour therapy in the treatment of chronic general anxiety. *Behaviour Research and Therapy*, 25, 229-234.

ECKMAN, T.A., WIRSHING, W.C., MARDAR, S.R., LIBERMAN, R.P., JOHNSTON-CRONK, K., ZIMMERMAN, K. & MINTZ, J. (1992). Technique for training schizophrenic patients in illness self-management: A controlled trial. *American Journal of Psychiatry*, 149, 1549-1555.

ELKIN, I., GIBBONS, R.D., SHEA, M.T., SOTSKY, S.M., WATKINS, J.T., PILKONIS, P.A. & HEDEKER, D. (1995). Initial severity and differential treatment outcome in the National Institute of Mental Health Treatment of Depression Collaborative Research Program. *Journal of Consulting and Clinical Psychology*, 63, 841-847.

ELKIN, I., SHEA, M.T., WATKINS, J.T., IMBER, S.D., SOTSKY, S.M., COLLINS, J.F., GLASS, D.R., PILKONIS, P.A., LEBER, W.R., DOCHERTY, J.P., FIESTER, S.J. & PARLOFF, M.B. (1989). National Institute of Mental Health Treatment of Depression Collaborative Research Program: General effectiveness of treatments. *Archives of General Psychiatry*, 46, 971-982.

EMMELKAMP, P.M.G. (1994). Behavior therapy with adults. In A.E. Bergin & S.L. Garfield (Eds.) *Handbook of psychotherapy and behavior change (4th ed)*. (pp.). New York: Wiley.

EMMELKAMP, P.M.G. & BEENS, H. (1991). Cognitive therapy with obsessive compulsive disorder: A comparative evaluation. *Behaviour Research and Therapy*, 29, 293-300.

EMMELKAMP, P.M.G., VISSER, S. & HOEKSTRA, P. (1988). Cognitive therapy vs exposure in-vivo in the treatment of obsessive-compulsive disorder. *Cognitive Therapy and Research*, 12, 103-114.

ERIKSEN, L., BJORNSTAD, S. & GOTESTAM, K.G. (1986). Social skills trainings in groups for alcoholics: One year treatment outcome for groups and individuals. *Addictive Behaviors*, 11, 309-329.

FAIRBURN, C.G., JONES, R., PEVELER, R.C., HOPE, R.A. & O'CONNOR, M. (1993). Psychotherapy and bulimia nervosa: Longer-term effects of interpersonal psychotherapy, behavior therapy, and cognitive behavior therapy. *Archives of General Psychiatry*, 50, 419-428.

FESKE, U. & CHAMBLESS, D.L. (1995). Cognitive behavioral versus exposure only treatment for social phobia: A meta-analysis. *Behavior Therapy*, 26, 695-720.

FINNEY, J.W. & MOOS, R.H. (1996). The effectiveness of inpatient and outpatient treatment for alcohol abuse: Effect sizes, research design issues, and explanatory mechanisms. *Addiction*, 91, 1813-1820.

FOA, E.B., ROTHBAUM, B.O., RIGGS, D.S., & MURDOCK, T.B. (1991). Treatment of posttraumatic stress disorder in rape victims: A comparison between cognitive-behavioral procedures and counseling. *Journal of Consulting and Clinical Psychology*, 59, 715-723.

FOA, E.B., STEKETEE, G. & ROTHBAUM, B. (1989). Behavioral/cognitive conceptualizations of posttraumatic stress disorder. *Behavior Therapy*, 20, 155-176.

FRANK, E., KUPFER, D.J., PEREL, T.M., CORNES, C.L., JARRETT, D.J., MALLINGER, A., THASE, M.E., McEACHREM, A.B. & GROCHINSKI, V.J. (1990). Three year outcomes for maintenance therapies in recurrent depression. *Archives of General Psychiatry*, 47, 1093-1099.

FREEMAN, C.P.L., BARRY, F., DUNKELD-TURNBELL, J. & HENDERSON, A. (1988). Controlled treatment of psychotherapy for bulimia nervosa. *British Medical Journal*, 296, 521-525.

GABBARD, G.O. (Ed.) (1995). *Treatments of psychiatric disorders*, 2 vols (2nd ed). Washington: American Psychiatric Press.

GAFFAN, E.A., TSAOUSIS, I. & KEMP-WHEELER, S.M. (1995). Researcher allegiance and meta-analysis: The case of cognitive therapy for depression. *Journal of Consulting and Clinical Psychology*, 63, 966-980.

GALLAGHER-THOMPSON, D. & STEFFEN, A.M. (1994). Comparative effects of cognitive-behavioral and brief dynamic therapy for depressed family caregivers. *Journal of Consulting and Clinical Psychology*, 62, 543-549.

GHOSH, A., MARKS, I.M. & CARR, A.C. (1988). Therapist contact and outcome of self-exposure treatment for phobias: A controlled study. *British Journal of Psychiatry*, 152, 234-238.

GOULD, R.A., OTTO, M.W. & POLLACK, M.H. (1995). A meta-analysis of treatment outcome for panic disorder. *Clinical Psychology Review*, 15, 819-844.

GOULD, R.A., OTTO, M.W., POLLACK, M.H. & YAP, L. (1997). Cognitive behavioral and pharmacological treatment of generalised anxiety disorder: A preliminary meta-analysis. *Behavior Therapy*, 28, 285-305.

GREENHALGH, T. (2001). *How to read a paper: the basics of evidence based medicine (2nd ed)*. London: BMA.

GUNDERSON, J.G., FRANK, A.F., KATZ, H.M., VANNICELLI, M.L., FROSH, J.P. & KNAPP, P.H. (1984). Effects of psychotherapy in schizophrenia: II. Comparative outcome of two forms of treatment. *Schizophrenia Bulletin*, 10, 564-598.

HALL, A. & CRISP, A.N. (1987). Brief psychotherapy in the treatment of anorexia nervosa. *British Journal of Psychiatry*, 151, 185-191.

HARTMANN, A., HERZOG, T. & DRINKMANN, A. (1992). Psychotherapy of bulimia nervosa: What is effective? A meta-analysis. *Journal of Psychosomatic Research*, 36, 159-167.

HEIMBERG, R.G., DODGE, C.S., HOPE, D.A., KENNEDY, C.R. & ZOLLO, L.J. (1990). Cognitive behavioral treatment for social phobia: Comparison with a credible placebo control. *Cognitive Therapy and Research*, 14, 1-23.

HEIMBERG, R.G., JUSTER, H.R., BROWN, E.J., HOLLE, C., MAKRIS, G.S., LEUNG, A.W., SCHNEIER, F.R., GIOTOW, A., & LIEBOWITZ, M.R. (1994). Cognitive-behavioural versus pharmacological treatment of social phobia: Posttreatment and follow-up effects. Association for Advancement of Behavior Therapy, San Diego, November.

HEIMBERG, R.G. & JUSTER, H.P. (1995). Cognitive-behavioral treatments: Literature review. In R.G. Heimberg, M.R. Liebowitz, D.A. Hope & F.R. Schneier (Eds) *Social phobia: Diagnosis, assessment and treatment*. (pp.). New York: Guilford Press.

HERBERT, J.D. (1995). An overview of the current status of social phobia. *Applied and Preventive Psychology*, 4, 39-51.

HIGGINS, S.T., BUDNEY, A.J., BICKEL, W.K., HUGHES, J.R., FOEG, F. & BADGER, G. (1993). Achieving cocaine abstinence with a behavioural approach. *American Journal of Psychiatry*, 150, 763-769.

HILL, D.E. (1970). Outpatient management of passive-dependent women. *Hospital and Community Psychiatry*, 21, 402-405.

HISS, H., FOA, E.B. & KOZAK, M.J. (1994). Relapse prevention program for treatment of obsessive-compulsive disorder. *Journal of Consulting and Clinical Psychology*, 62, 801-808.

HOFFART, A. (1993). Cognitive treatments of agoraphobia: A critical evaluation of theoretical basis and outcome evidence. *Journal of Anxiety Disorders*, 7, 75-91.

HOGARTY, G.E., ANDERSON, C.M., REISS, D.J., KORNBLITH, S.J., GREENWALD, D.P., JAVNA, C.D. & MADONIA, M.J. (1986). Family education, social skills training and maintenance chemotherapy in after care treatment of schizophrenia I: One year effects of a controlled study on relapse and expressed emotion. *Archives of General Psychiatry*, 43, 633-642.

HOGARTY, G.E., GOLDBERG, S.C. & SCHOOLER, N. (1974). Drug and sociotherapy in the aftercare of schizophrenic patients. III. Adjustment of non-relapsed patients. *Archives of General Psychiatry*, 31, 609-618.

HOKKE, L.A. (1989). Longitudinal patterns of behaviours in borderline personality disorder. Dissertation Abstracts International.

HOLLON, S.D., SHELTON, R.C. & LOOSEN, P.T. (1991). Cognitive therapy and pharmacotherapy for depression. *Journal of Consulting and Clinical Psychology*, 59, 88-99.

HOLLON, S.D., SHELTON, R.C. & DAVIS, D.D. (1993). Cognitive therapy for depression: Conceptual issues and clinical efficacy. *Journal of Consulting and Clinical Psychology*, 61, 270-275.

HOPE, D.A., HEIMBERG, R.G., & BRUCH, M.A. (1990). The importance of cognitive interventions in the treatment of social phobia. Annual Meeting of the Phobia Society of America. Washington.

JACOBSON, N.S., DOBSON, K.S., TRUAX, P.A., ADDIS, M.E., KOERNER, K., GOLLAN, J.K., GORTNER, E. & PRINCE, S.E. (1996). A component analysis of cognitive-behavioral treatment for depression. *Journal of Consulting and Clinical Psychology*, 64, 295-304.

JACOBSON, N.S., WILSON, L. & TUPPER, C. (1988). The clinical significance of treatment gains resulting from exposure based interventions for agoraphobia: A re-analysis of outcome data. *Behavior Therapy*, 19, 539-554.

JANSSON, L. & OST, L.G. (1982). Behavioral treatments for agoraphobia: An evaluative review. *Clinical Psychology Review*, 2, 311-336.

JANSSON, L., JERREMALM, A. & OST, L.G. (1986). Follow-up of agoraphobic patients treated with exposure in vivo or applied relaxation. *British Journal of Psychiatry*, 149, 486-490.

KAPLAN, H.S. (1986). Sexual aversions, sexual phobias and panic disorders. New York: Brunner/Mazel.

KEANE, T.M., FAIRBANK, J.A., CADDELL, J.M. & ZIMERING, R.T. (1989). Implosive (flooding) therapy reduces symptoms of PTSD in Vietnam combat veterans. *Behavioral Therapy*, 20, 245-260.

KIRSCH, I., TENNEM, H., WICKLESS, C., SACCOME, A.J. & CODY, S. (1983). The role of expectancy in fear reduction. *Behavior Therapy*, 14, 520-533.

KLOSKO, J.S., BARLOW, D.H., TASSINARI, R. & CERNY, J.A. (1990). A comparison of alprazolam and behavior therapy in treatment of panic disorder. *Journal of Consulting and Clinical Psychology*, 58, 77-84.

LEDWIDGE, B. (1978). Cognitive behavior modification: A step in the wrong direction? *Psychological Bulletin*, 85, 353-375.

LEWANDOWSKI, L.M., GEBING, T.A., ANTHONY, J.L. & O'BRIEN, W.H. (1997). Meta-analysis of cognitive-behavioral treatment studies for bulimia. *Clinical Psychology Review*, 17, 703-718.

LINEHAN, M.M., ARMSTRONG, H.E., SUAREZ, A., ALLMON, D. & HEARD, H.L. (1991). Cognitive-behavioral treatment of chronically parasuicidal borderline patients. *Archives of General Psychiatry*, 48, 1060-1064.

LINEHAN, M.M., HEARD, H.L. & ARMSTRONG, H.E. (1993). Naturalistic follow-up of a behavioral treatment for chronically parasuicidal borderline patients. *Archives of General Psychiatry*, 50, 971-974.

MARDER, S.R., WIRSHING, W.C., MINTZ, J., MCKENZIE, J., JOHNSTON, K., ECKMAN, T.A., LEBELL, M., ZIMMERMAN, K. & LIBERMAN, R.P. (1996). Two-year outcome of social skills training and group psychotherapy for outpatients with schizophrenia. *American Journal of Psychiatry*, 153, 1585-1592.

MARGRAF, J., BARLOW, D.H., CLARK, D.M. & TELCH, M.J. (1993). Psychological treatment of panic: Work in progress on outcome, active ingredients and follow-up. *Behaviour Research and Therapy*, 31, 1-8.

MARKOWITZ, J.C. (1996). Psychotherapy for dysthymic disorder. *Psychiatric Clinics of North America*, 19, 133-149.

MARKS, I.M. (1987). *Fears, phobias and rituals*. New York: Oxford University Press.

MARKS, I.M., STERN, R.S., MAWSON, D., COBB, J. & McDONALD, R. (1980). Clomipramine and exposure for obsessive-compulsive rituals - I. *British Journal of Psychiatry*, 136, 1-25.

MARSHALL, W.L. (1985). The effects of variable exposure in flooding therapy. *Behavior Therapy*, 16, 117-135.

MARSHALL, W.L. (1988). Behavioural indices of habituation and sensitisation during exposure to phobic stimuli. *Behaviour Research and Therapy*, 26, 67-77.

MATTICK, R.P. & JARVIS, T. (Eds.) (1993). *An outline for the management of alcohol problems: Quality assurance in the treatment of drug dependence project*. Canberra: Australian Government Publishing Service.

McGRADY, B.S., LONGABAUGH, R., FINK, E. & STOUT, R. (1986). Cost-effectiveness of alcoholism treatment in partial hospital versus in-patient settings after brief in-patient treatment: 12 month outcomes. *Journal of Consulting and Clinical Psychology*, 54, 708-713.

MCLEAN, P.D. & HACKSTIAN, A.R. (1979). Clinical depression: Comparative efficacy of outpatient treatments. *Journal of Consulting and Clinical Psychology*, 47, 818-836.

MERSCH, P.P.A., EMMELKAMP, P.M.G. & LIPS, C. (1991). Social phobia: Individual response patterns and the long-term effects of behavioural and cognitive interventions, a follow up study. *Behaviour Research and Therapy*, 29, 357-362.

MICHELSON, L.K. & MARCHIONE, K. (1991). Behavior, cognitive, and pharmacological treatments of panic disorder with agoraphobia: Critique and synthesis. *Journal of Consulting and Clinical Psychology*, 59, 100-114.

MILROD, B. & SHEAR, M.K. (1991). Dynamic treatment of panic disorder: A review. *Journal of Nervous and Mental Disease*, 179, 741-743.

MILROD, B. & BUSCH, F. (1996). Long-term outcome of panic disorder treatment: A review of the literature. *Journal of Nervous and Mental Disease*, 184, 723-730.

MINTZ, J., MINTZ, L.I., ARRUDA, M.J. & HWANG, S.S. (1992). Treatments of depression and the functional capacity to work. *Archives of General Psychiatry*, 49, 761-768.

MITCHELL, J.E., HOBERMAN, H.N., PETERSON, C.B. & MUSSELL, M. (1996). Research on the psychotherapy of bulimia nervosa: Half empty or half full. *International Journal of Eating Disorders*, 20, 219-229.

MITCHELL, J.E., PYLE, R.L., ECKERT, E.D., HATSUKAMI, D., POMEROY, C. & ZIMMERMAN, R. (1990). A comparison study of antidepressants and structured intensive group psychotherapy in the treatment of bulimia nervosa. *Archives of General Psychiatry*, 47, 149-157.

MITCHELL, J.E., PYLE, R.L., POMEROY, C., ZOLLMAN, M., CROSBY, R., SEIM, H., ECKERT, E.D. & ZIMMERMAN, R. (1993). Cognitive-behavioral group psychotherapy of bulimia nervosa: Importance of logistic variables. *International Journal of Eating Disorders*, 14, 277-287.

MORROW-BRADLEY, C. & ELLIOTT, R. (1986). Utilization of psychotherapy research. *American Psychologist*, 41, 188-197.

MUNBY, J. & JOHNSTON, D.W. (1980). Agoraphobia: The long-term follow-up of behavioural treatment. *British Journal of Psychiatry*, 137, 418-427.

NATHAN, P.E. & GORMAN, J.M. (1998). *A guide to treatments that work*. New York: Oxford University Press.

NEZU, A.M. (1986). Efficacy of social problem-solving therapy approach for unipolar depression. *Journal of Consulting and Clinical Psychology*, 54, 196-202.

NEZU, A.M. & PERRI, M.G. (1989). Social problem-solving therapy for unipolar depression: An initial dismantling investigation. *Journal of Consulting and Clinical Psychology*, 57, 408-413.

OST, L.-G. (1978). Fading vs. systematic desensitization in the treatment of snake and spider phobia. *Behaviour Research and Therapy*, 16, 379-389.

OST, L.-G. (1987). Applied relaxation: Description of a coping technique and review of controlled studies. *Behaviour Research and Therapy*, 25, 397-409.

OST, L.-G. (1988). Applied relaxation vs progressive relaxation in the treatment of panic disorder. *Behaviour Research and Therapy*, 26, 13-22.

OST, L.-G., JERREMALM, A. & JOHANSSON, J. (1981). Individual response patterns and the effects of different behavioural methods in the treatment of social phobia. *Behaviour Research and Therapy*, 19, 1-16.

OST, L.-G., SALKOVSKIS, P.M. & HELLSTROM, K. (1991). One-session therapist-directed exposure vs. self-exposure in the treatment of spider phobia. *Behavior Therapy*, 22, 407-422.

O'SULLIVAN, G., NOSHIRVANI, H. & MARKS, I. (1991). Six-year follow-up after exposure and clomipramine therapy for obsessive compulsive disorder. *Journal of Clinical Psychiatry*, 52, 150-155.

PAUL, G.L. (1967a). Insight vs desensitization in psychotherapy two years after termination. *Journal of Consulting Psychology*, 31, 333-348.

PAUL, G.L. (1967b). Strategy outcome research in psychotherapy. *Journal of Consulting Psychology*, 31, 109-119.

PAUL, G.L. & SHANNON, D.T. (1966). Treatment of anxiety through systematic desensitization in therapy groups. *Journal of Abnormal Psychology*, 71, 123-135.

PILLAY, M. & CRISP, A.H. (1981). The impact of social skills training within an established inpatient treatment program for anorexia nervosa. *British Journal of Psychiatry*, 139, 533-539.

POWER, K.G., SIMPSON, R.J., SWANSON, V. & WALLACE, L.A. (1990). A controlled comparison of cognitive-behavior therapy, diazepam, and placebo, alone and in combination, for the treatment of generalized anxiety disorder. *Journal of Anxiety Disorders*, 4, 267-292.

RESICKE, P.A., JORDAN, C.G., GIRELLI, S.A., HUTTER, C.K. & MARHOEFER-DVORAK, S. (1988). A comparative outcome study of behavioral group therapy for sexual assault victims. *Behavior Therapy*, 19, 385-401.

RESICKE, P.A. & SCHNICKE, M.K. (1992). Cognitive processing therapy for sexual assault victims. *Journal of Consulting and Clinical Psychology*, 60, 784-756.

ROBINSON, L.A., BERMAN, J.S. & NEIMEYER, R.A. (1990). Psychotherapy for the treatment of depression: A comprehensive review of controlled outcome research. *Psychological Bulletin*, 108, 30-49.

RORER, L.G. (1991). Some myths of science in psychology. In D. Cicchetti & W.M. Grove (Eds.) *Thinking clearly about psychology*, Vol 1. (pp. 61-87). Minneapolis: University of Minneapolis Press.

ROTH, A. & FONAGY, P. (1996). *What works for whom? A critical review of psychotherapy research*. New York: Guilford Press.

SALKOVSKIS, P.M., CLARK, D.M. & HACKMANN, A. (1991). Treatment of panic attacks using cognitive therapy without exposure or breathing retraining. *Behaviour Research and Therapy*, 29, 161-166.

SAUNDERS, T., DRISKELL, J.E., HALL, J. & SALAS, E. (1996). The effect of stress inoculation training on anxiety and performance. *Journal of Occupational Health Psychology*, 1, 170-186.

SCHOLING, A. & EMMELKAMP, P.M.G. (1993). Exposure with and without cognitive therapy for generalized anxiety disorder. *Behaviour Research and Therapy*, 31, 667-681.

SCHOLING, A. & EMMELKAMP, P.M.G. (1996). Treatment of generalized social phobia: Results at long-term follow-up. *Behaviour Research and Therapy*, 34, 447-452.

SHALEV, A.Y., BONNE, O. & ETH, S. (1996). Treatment of posttraumatic disorder: A review. *Psychosomatic Medicine*, 58, 165-182.

SOKOL, L., BECK, A.T., GREENBERG, R.L., WRIGHT, F.D. & BERCHICK, R.J. (1989). Cognitive therapy of panic disorder: A nonpharmacological alternative. *Journal of Nervous and Mental Disease*, 177, 711-716.

SOLOMON, S.D., GERRITY, E.T. & MUFF, A.M. (1992). Efficacy of treatments for posttraumatic stress disorder: An empirical review. *Journal of the American Medical Association*, 268, 633-688.

SOLYOM, L. & SOOKMAN, D. (1977). A comparison of clomipramine hydrochloride (Anfranil) and behavior therapy in the treatment of obsessive neurosis. *Journal of International Medical Research*, 5(Supp 5), 49-61.

STEKETEE, G. & SHAPIRO, L.J. (1995). Predicting behavioral treatment outcome for agoraphobia and obsessive-compulsive disorder. *Clinical Psychology Review*, 15, 317-346.

STRANVYNSKI, A., & GREENBERG, D. (1992). The psychological management of depression. *Acta Psychiatrica Scandinavica*, 85, 407-414.

STRANVYNSKI, A., MARKS, I. & YULE, W. (1982). Social skills problems in neurotic outpatients: Social skills training with and without cognitive modification. *Archives of General Psychiatry*, 39, 1378-1385.

STRANVYNSKI, A., BELISLE, M., MARCOULLER, M., LAVALLEE, Y.J. & ELLIE, R. (1994). The treatment of avoidant personality disorder by social skills training in the clinic or in real-life settings. *Canadian Journal of Psychiatry*, 39, 377-383.

TAYLOR, S. (1996). Meta-analysis of cognitive-behavioral treatment for social phobia. *Journal of Behavior Therapy and Experimental Psychiatry*, 27, 1-9.

TELCH, M.J., LUCAS, J.A. & SCHMIDT, N.B., HANNA, H.H., JAIMEZ, T.S. & LUCAS, R.A. (1993). Group cognitive behavioral treatment of panic disorder. *Behaviour Research and Therapy*, 31, 279-287.

THACKWRAY, D.E., SMITH, M.C., BODFISH, J.W. & MEYERS, A.W. (1993). A comparison of behavioral and cognitive-behavioral interventions for bulimia nervosa. *Journal of Consulting and Clinical Psychology*, 61, 639-645.

THASE, M.E., BOWLER, K. & HARDEN, T. (1991). Cognitive behavior therapy of endogenous depression, part 2: Preliminary findings in 16 unmedicated in-patients. *Behavior Therapy*, 22, 469-477.

THASE, M.E., GREENHOUSE, J.B., FRANK, E., REYNOLDS, C.F., PILKONIS, P.A., HURLEY, K., GROCHOCINSKI, V. & KUPFER, D.J. (1997). Treatment of major depression with psychotherapy or psychotherapy-pharmacotherapy combinations. *Archives of General Psychiatry*, 54, 1009-1015.

TREASURE, J., TODD, G., BROLLY, M., TILLER, J., NEHMED, A. & DENMAN, F. (1995). A pilot study of a randomised trial of cognitive analytical therapy versus educational behavioural therapy for adult anorexia nervosa. *Behaviour Research and Therapy*, 33, 363-367.

TRULL, T.J., NIETZEL, M.T. & MAIN, A. (1988). The use of meta-analysis to assess the clinical significance of behavior therapy for agoraphobia. *Behavior Therapy*, 19, 527-538.

van BALKOM, A.J.L.M., van OPPEN, P., VERMEULEN, A.W.A., NAUTA, N.C.E., VORST, H.C.M. & van DYCK, R. (1994). A meta-analysis on the treatment of obsessive compulsive disorder: A comparison of antidepressants, behaviour and cognitive therapy. *Clinical Psychology Review*, 14, 359-381.

van BALKOM, A.J.L.M., BAKKER, A., SPINHOVEN, P., BLAAUW, B.M.J.W., SMEENK, S. & RUESINK, B. (1997). A meta-analysis of the treatment of panic disorder with or without agoraphobia: A

comparison of psychopharmacological, cognitive-behavioral, and combination treatments. *Journal of Nervous and Mental Disease*, 185, 510-516.

van OPPEN, P., de HAAN, E., van BALKOM, A.J.L.M., SPINHOVEN, P., HOOGDUIN, K. & van DYCK, R. (1995). Cognitive therapy and exposure in vivo in the treatment of obsessive compulsive disorder. *Behaviour Research and Therapy*, 33, 379-390.

WALDINGER, R.J. & GUNDERSON, J.G. (1984). Completed psychotherapies with borderline patients. *American Journal of Psychotherapy*, 38, 190-202.

WILSON, G.T. & FAIRBURN, C.G. (1993). Cognitive treatments for eating disorders. *Journal of Consulting and Clinical Psychology*, 61, 261-269.

WILSON, S.A., BECKER, L.A. & TINKER, R.H. (1995). Eye-movement desensitization and reprocessing (EMDR) treatment for psychologically traumatized individuals. *Journal of Consulting and Clinical Psychology*, 63, 928-937.

WINSTON, A., LAIKIN, M., POLLACK, J., SAMSTAG, L.W., McCULLOCH, L. & MURAN, J.C. (1994). Short-term psychotherapy of personality disorders. *American Journal of Psychiatry*, 151, 190-194.

WLAZLO, Z., SCHROEDER-HARTWIG, K., HAND, I., KAISER, G. & MUNCHAU, N. (1990). Exposure in vivo vs social skills training for social phobia: Long-term outcome and differential effects. *Behaviour Research and Therapy*, 28, 181-193.

WOODY, G.E., LUBORSKY, L., McLELLAN, A.T. & O'BRIEN, C.P. (1990). Corrections and revised analyses for psychotherapy in methadone maintenance patients. *Archives of General Psychiatry*, 47, 788-789.

WOY, R.J. & EFRAN, J.S. (1972). Systematic desensitization and expectancy in the treatment of speaking anxiety. *Behaviour Research and Therapy*, 10, 43-49.

YOUNG, J.E. (1989). The role of interpersonal strategies in schema focused cognitive therapy for personality disorders. World Congress of Cognitive Therapy. Oxford, September.

